

## Certificate of Analysis

<b>Product Name</b>	50× Coelenterazine														
<b>Cat.No.</b>	TG6166	<b>Storage Conditions</b>	-80℃												
<b>Lot.No.</b>	220414L01-01	<b>Expiration Date</b>	13-04-2025												
<b>Molecular Formula</b>	N/A	<b>Molecular Weight</b>	N/A												
<b>CAS Number</b>	N/A	<b>Excitation Emission</b>	N/A												
<b>Quality Control</b>															
<b>Items</b>	<b>Specification</b>		<b>Result</b>												
Packaging appearance	Intact and undamaged		Pass												
Appearance	Colorless liquid		Pass												
Weight/volume	200-212μl		Pass												
<b>Appendix</b>															
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td></td> <td></td> <td colspan="3" style="text-align: center;">Repeat three times</td> <td style="text-align: center;">avg</td> </tr> <tr> <td>Coelenterazine</td> <td>This lot</td> <td>66968</td> <td>70269</td> <td>75069</td> <td>70768.67</td> </tr> </table> <div style="border: 1px solid black; padding: 10px; margin-top: 10px;"> <p>This Product has been tested and the components have been found to conform to UE quality standards.</p> </div>						Repeat three times			avg	Coelenterazine	This lot	66968	70269	75069	70768.67
		Repeat three times			avg										
Coelenterazine	This lot	66968	70269	75069	70768.67										
<b>Conclusion</b>	Up to standard	<b>Report Date</b>	24-04-2022												
<b>QC</b>	Xingjia Wu 24-04-2022	<b>QA</b>	Bin Han Yu 24-04-2022												

